# Astm A269 316l 15mm Stainless Tube Annealed Bendable Rectangular

#### **Basic Information**

. Place of Origin: china

Brand Name: ShengQuan · Certification: ISO9001:2000

Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

· Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms: L/C, T/T, Western Union

. Supply Ability: 15000Tons



### **Product Specification**

· Application: Construction, Kitchenware, Decoration, chemica

Width: Or As Required

Type: Plate, Coil, stainless Steel Sheet

ASTM,JIS,AISI,EN,GB Standard: · Length: Customer's Request

201/202/304 Grade:

/304L/316/316L321/310s/410/420/430/440/43

• Product Name: ASTM JIS SUS 201 202 301 304 304I 316

316l 310Stainless Steel Sheet

. Thickness: 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-

5mm,0.01-200mm

· Certification: ISO,SGS,Other

· Technique: Cold Rolled Hot Rolled . Highlight: Astm 15mm stainless tube,

Rectangular 15mm stainless tube, 15mm stainless rectangular tube



# **Product Description**

# Bendable Astm A269 316l Stainless Steel Bright Annealed With Flexible Dimension

Stainless steel is a highly versatile material that can be used for a wide range of indoor and outdoor applications. Using stainless materials for your pipe project provides several advantages, including: Lightweight

Durable

Long-lasting

Handles high flow rates

Easy to machine

Scratch resistant

Easy to sanitize

Low-maintenance

Superior corrosion resistance

Recyclable, environmentally-friendly material

| Chemical Properties of Frequently-used Stainless Steel Material Grade |      |             |             |       |              |            |           |           |                |               |             |
|---|------|-------------|-------------|-------|--------------|------------|-----------|-----------|----------------|---------------|-------------|
| UNS   | ASTM |             | JIS         |       | Mn%          |            | S%        | %         | Cr%            | Ni%           | Mo<br>%     |
| S201<br>00  | 201  | 2           | SUS20<br>1  | ≤0.15 | 5.5-<br>7.5  | ≤0.0<br>6  |           | ≤1.<br>00 | 16.0-<br>18.0  | 3.5-<br>5.5   | -           |
| S202<br>00  | 202  | 1.437<br>3  | SUS20<br>2  | ≤0.15 | 7.5-<br>10.0 | ≤0.0<br>6  |           | ≤1.<br>00 | 17.0-<br>19.0  | 4.0-<br>6.0   | -           |
| S301<br>00  | 301  | 1.431<br>9  | SUS30<br>1  | ≤0.15 | ≤2.00        | ≤0.0<br>45 |           | ≤1.<br>00 | 16.0-<br>18.0  | 6.0-<br>8.0   | -           |
| S304<br>00  | 304  | 1.430<br>1  | SUS30<br>4  | ≤0.08 | ≤2.00        | ≤0.0<br>45 |           |           | 18.0-<br>20.0  | 8.0-<br>10.5  | -           |
| S304<br>03  | 304L | 1.430<br>6  | SUS30<br>4L | ≤0.03 | ≤2.00        | <0 0       | ≤0.<br>03 |           | 18.0-<br>20.0  | 8.0-<br>12.0  | -           |
| S309<br>08  | 309S | 1.483<br>3  | SUS30<br>9S | ≤0.08 | ≤2.00        | ≤0.0<br>45 | ≤0.<br>03 |           | 22.0-<br>24.0  | 12.0-<br>15.0 | -           |
| S310<br>08  | 310S | 1.484<br>5  | SUS31<br>0S | ≤0.08 | ≤2.00        | ≤0.0<br>45 |           |           | 24.0-<br>26.0  | 19.0-<br>22.0 | -           |
| S316<br>00  | 316  | 1.440<br>1  | SUS31<br>6  | ≤0.08 | ≤2.00        | ≤0.0<br>45 |           | ≤0.<br>75 | 16.0-<br>18.0  | 10.0-<br>14.0 | 2.0-<br>3.0 |
| S316<br>03  | 316L | 1.440<br>4  | SUS31<br>6L |       | ≤2.00        | < 0.0      | ≤0.<br>03 | ≤0.<br>75 | 16.0-<br>18.0  | 10.0-<br>14.0 | 2.0-<br>3.0 |
| S317<br>03  | 317L | 1.443<br>8  | SUS31<br>7L | ≤0.03 | ≤2.00        | ≤0.0<br>45 | ≤0.<br>03 | ≤0.<br>75 | 18.0-<br>20.0  | 11.0-<br>15.0 | 3.0-<br>4.0 |
| S321<br>00  | 321  | 1.454<br>1  | SUS32<br>1  | ≤0.08 | ≤2.00        | ≤0.0<br>45 | ≤0.       | ≤0.<br>75 | 17.0-<br>19.0  | 9.0-<br>12.0  | -           |
| S347<br>00  | 347  | 1.455<br>0  | SUS34<br>7  | ≤0.08 | ≤2.00        | ≤0.0<br>45 | ≤0.       |           | 17.0-<br>19.0  | 9.0-<br>13.0  | -           |
| S405<br>00  | 405  | 1.400<br>2  | SUS40<br>5  | ≤0.08 | ≤1.00        | ≤0.0<br>4  | ≤0.       | ≤1.<br>00 | 11.5-<br>14.5  | ≤0.60         | -           |
| S409<br>00  | 409  | 1.451<br>2  | SUS40<br>9  | ≤0.08 | ≤1.00        | ≤0.0<br>45 |           | ≤1.<br>00 | 10.5-<br>11.75 | ≤0.50         | -           |
| S430<br>00  | 430  | 1.401<br>6  | SUS43<br>0  | ≤0.12 | ≤1.00        | ≤0.0<br>40 |           | ≤0.<br>75 | 16.0-<br>18.0  | ≤0.60         | -           |
| S434<br>00  | 434  | l           | SUS43<br>4  |       | ≤1.00        |            |           | ≤1.<br>00 | 16.0-<br>18.0  | -             | -           |
| S444<br>00  | 444  | 1           | SUS44<br>4L |       |              | <0 0       |           | ≤1.<br>00 | 17.5-<br>19.5  | ≤1.00         | -           |
| S403<br>00  | 403  | -           | 3           | ≤0.15 | 5.5-<br>7.5  | ≤0.0<br>4  |           | ≤0.<br>50 | 11.5-<br>13.0  | ≤0.60         | -           |
| S410<br>000   | 410  | 1.400<br>06 | SUS41<br>0  | ≤0.15 | ≤1.00        | ≤0.0<br>35 |           | ≤1.<br>00 | 11.5-<br>13.5  | ≤0.60         | ≤1.0<br>0   |
|   |      |             |             |       |              |            |           |           |                |               |             |

| S420<br>00 | 420         | I          | SUS42<br>0J1 | 0.16~0<br>.25 | ≤1.00 | ≤0.0<br>4  | l | ≤1.<br>00 | 12.0-<br>14.0 | ≤0.75 | ≤1.0<br>0   |
|------------|-------------|------------|--------------|---------------|-------|------------|---|-----------|---------------|-------|-------------|
| S440<br>A  | 440A        | l_         | SUS44<br>0A  | 0.60~0<br>.75 | ≤1.00 | ≤0.0<br>4  | l | ≤1.<br>00 | 16.0-<br>18.0 | -     | ≤0.7<br>5   |
| S327<br>50 | SAD2<br>507 | 1.441<br>0 |              | ≤0.03         | ヒエン   | ≤0.0<br>35 | l |           | 24.0-<br>26.0 |       | 3.0-<br>5.0 |
| S318<br>03 | SAF2<br>205 | 1.446<br>2 |              | ≤0.03         | ≤2.0  | ≤0.0<br>3  | l |           | 21.0-<br>23.0 | 1 -   | 2.5-<br>3.5 |
| N089<br>04 | 904L        | 1.453<br>9 |              | ≤0.0.3        | <ソ () | ≤0.0<br>35 | l | ≤1.<br>00 | 18.0-<br>20.0 |       | 3.0-<br>4.0 |





Packing & Delivery

#### 1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency: USD, EUR, CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste





15370898866



523639146@qq.com



e metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City